official journal of the california medical association
© 1946, by the California Medical Association

vol. 65

NOVEMBER, 1946

NO. 5

Analysis of 402 Cases of Carcinoma of the Breast*

EVELYN SIRIS, M.D., AND LEONARD DOBSON, M.D., San Francisco

N spite of the tremendous advance in breast surgery that took place with the introduction of the radical mastectomy by Halsted and Willy Meyer in 1889, and the refinements in radiation therapy during the past quarter century, we are still faced with the appalling fact that the mortality from carcinoma of the breast is increasing, that it was responsible for 10 per cent of the cancer deaths in the United States registration area in 1935. Spackman and Hynes 18 estimate that 2 per cent of all females die of mammary cancer. These figures certainly drive home the fact that what is needed at present is a new fundamental approach—that there is no satisfactory solution to the problem until we have solved the riddle of cancer.

Mammary cancer is a disease that is localized early, that is soon widely disseminated both by the lymphatics and the blood stream, and whose tumor emboli may lie dormant for many years before becoming activated. What appears to be a primary operable case is frequently not so. Ewing has stated that a tumor under 2.5 cm. in diameter is rarely disseminated—but we seldom see them that small.

The great controversy today is over the management of primary operable carcinoma that has already involved the axillary nodes. There is fairly uniform agreement that the 70-80 per cent five-year salvage obtained in small movable lesions localized to the breast 8—the anatomical stage I†—with immediate radical surgery is not significantly improved by the addition of irradiation. In anatomical stage II management, there is no such uni-

form agreement—neither first in defining an operable case with axillary involvement, nor, second, in the management of it. The scope of the surgeon's knife is gradually being narrowed. Factors which must be considered include the histologic characteristics of the tumor, the quadrant of the breast affected,² involvement of the skin, and degree of involvement of the axillary nodes. Warren and Tompkins 15 found that their five-year arrents with surgery varied from 68 per cent to 19 per cent depending on whether only one or more than 50 per cent of axillary nodes were involved.

Bartlett found only 4 per cent of five-year arrests when the tumor was in the inner hemisphere, as contrasted with 32 per cent in the outer hemisphere. Harrington⁷ operates on any case "in which there is a reasonable chance for cure." Haagensen⁵ has neatly outlined what he believes are the criteria of operability—with which we are in full agreement. (Chart I.)

CHART 1

Haagensen-Stout Criteria of Operability— Contra-Indications 5

- 1. When the carcinoma is one which developed during pregnancy or lactation.
- 2. When extensive edema of the skin over the breast is present.
- 3. When satellite nodules are present in the skin over the breast.
- 4. When intercostal or parasternal tumor nodules are present.
 - 5. When there is edema of the arm.
 - 6. When proved supraclavicular metastases are present.
 - 7. When the carcinoma is the inflammatory type.
 - 8. When distant metastases are demonstrated.
- 9. When any two, or more, of the following signs of locally advanced carcinoma are present:
- (A) Ulceration of the skin.
- (B) Edema of the skin of limited extent (less than one-third of the skin over the breast involved).
 - (C) Fixation of the tumor to the chest wall.
- (D) Axillary lymph nodes measuring 2.5 cm., or more, in transverse diameter, and proved to contain metastases by biopsy.
- (E) Fixation of axillary lymph nodes to the skin or the deep structures of the axilla, and proved to contain metastases by biopsy.

 $[\]mbox{*}$ From the Tumor Clinic, Stanford University School of Medicine, San Francisco.

[†] Anatomical Staging.

I. Small movable lesion localized to breast.

II. Movable lesion in breast with axillary metastatic nodes that are not fixed.

III. Fixed local lesion. Fixed axillary nodes. Extensive skin involvement. Spread of cancer beyond axillary nodes. Inflammatory carcinoma.

OWNED AND PUBLISHED BY THE CALIFORNIA MEDICAL ASSOCIATION 450 SUTTER, SAN FRANCISCO 8 , , PHONE DOUGLAS 0062

EDITOR, DWIGHT L. WILBUR, M.D.

BUSINESS MANAGER, JOHN HUNTON

EDITORIAL EXECUTIVE COMMITTEE

LAMBERT B. COBLENTZ, San Francisco ALBERT J. SCHOLL, Los Angeles

H. J. TEMPLETON, Oakland

For Information on Preparation of Manuscript, See Advertising Page 2

EDITORIALS

The Clinical Significance of Protein

The important role of protein nutrition in medicine has been stressed in abundant clinical and experimental reports. Although they are related to protein intake, we will not consider here the roles of fluid and electrolyte balance and vitamin intake, but rather of protein per se.

Proteins, whether derived from animal or vegetable sources, are designated as "complete" if they contain those amino acids which the body is unable to synthesize. Optimal nutrition, as far as protein intake is concerned, is usually considered to be one gram per kilogram of body weight per day for adults, and three to four times that amount for infants and children. All ingested protein is split by the pancreatic enzymes into polypeptides and ultimately into amino acids—in which form they enter the portal blood. The amino acids may be converted to carbohydrates, or may be used as building blocks for the formation of body or plasma proteins. The liver plays a dominant role in these processes. All nitrogen excreted by the kidneys is from either this ingested (or exogenous) protein, or the breakdown of body (or endogenous) protein. Nitrogen loss in the stools is highly constant in health. In disease protein may be lost in the urine, from the surface of burns, or areas of suppuration. An individual is in nitrogen balance only if his nitrogen (i.e., protein) intake is equal to the total nitrogen loss from all routes. If nitrogen loss exceeds the intake, the inference is inescapable that tissue proteins are being destroyed to meet the demands and the person is in "negative" nitrogen balance.

A clinical suspicion of protein deficiency may be obtained by scrutiny of the patient's dietary history, both as to protein and caloric content, for if the latter is inadequate body proteins are burned to furnish energy and loss of weight will result. If a decrease in plasma proteins is detected gross protein deficiency is present. In this connection we should recall that Elman⁷ has calculated that in an adult of 70 kilograms for each gram per cent that plasma proteins decrease, a total body loss of fully one thousand grams has occurred.

Protein deficiency may result from inadequate intake (as in famine); inadequate absorption (as in chronic diarrhea or absence of pancreatic ferments); or inadequate utilization (as in cirrhosis of the liver). The heightened metabolism of fever or hyperthyroidism increases the need for protein as does the developing fetus in pregnant women. Excessive loss may be occasioned by the exudate of severe burns or infected wounds, or the albuminurea of nephrosis.

A few specific illustrations may make these generalities more vivid. Excessive urinary nitrogen loss representing a negative balance of 50-150 gm. of body protein per day may follow with fractures,⁵ burns,⁸ or relatively simple surgical procedures. Gastrointestinal surgery results in an added strain on protein stores because of the patient's inability to assimilate food. Wounds heal less rapidly when hypoproteinemia is thus allowed to develop⁹ and this lack of satisfactory repair likewise involves, of course, internal suture lines such as at the site of gastrointestinal anastomoses.

In non-surgical realms, the anemia of pregnancy is frequently accentuated by protein lack,² hypoproteinemia is present in a major portion of patients with severe thyrotoxicosis¹ and in patients with cirrhosis of the liver. Peptic ulcers are reported to be more readily healed by feedings of a protein digest, rather than the traditional Sippy regime.⁴ Here, however, we should recall that many other factors are present in the complicated ulcer problem. In stenosing duodenal ulcer, with associated anorexia or frank vomiting, plasma proteins are soon distinctly lowered. The prompt utilization of small frequent feed-

CALIFORNIA MEDICAL ASSOCIATION

SAM J. McCLENDON, M.DPresident	E
JOHN W. CLINE, M.DPresident-Elect	L
E. VINCENT ASKEY, M.DSpeaker	8
LEWIS A. ALESEN, M.DVice-Speaker	D

JOHN HUNTON..... Executive Secretary

FOR COMPLETE ROSTER OF OFFICERS, SEE ADVERTISING PAGE 4

NOTICES AND REPORTS

C.M.A. Radio Show Has Audience of 600,000

Every Saturday evening, from 9:15 to 9:30, more than 600,000 people in California tune in the California Medical Association radio program, "California Caravan," aired over 18 stations in the Mutual-Don Lee Broadcasting System. They not only hear a good show, but also hear about California Physicians' Service and the advantages of pre-paid medical care.

Inaugurated June 15 by The Council of C.M.A. as a new phase of California medicine's public relations program, "California Caravan" established its popularity with the vast radio audience within a month, according to Hooperating, the standard survey service of the radio industry.

The Hooperating of the C.M.A. program for July, 4.8, indicates an average audience of 635,000 listeners per show and is a better rating than that given many of the big-budget and big-name shows for that period.

Here are some comparative ratings compiled from the July telephone survey of radio audiences conducted by C. E. Hooper, Inc., showing the relative standing of C.M.A.'s program:

"Can You Top That?"	6.6
"Ford Program"	2.1
"Standard Hour"	8.6
"Orson Welles' Mercury Theater"	3.7
Nash Kelvinator	
"Theater of Romance" (Colgate)	4.2
Fred Waring (Johnson Wax)	4.5
"CALIFORNIA CARAVAN," C.M.A. program	4.8

The stimulus of C.M.A.'s public relations program in building California Physicians' Service—through newspaper and radio advertising, publicity and the campaign of "Voluntary Health Insurance Weeks," which has now covered 25 counties—is indicated by the fact that C.P.S. enrollment has doubled since January 1 of this year—and every person enrolled in a voluntary health system in California is building stronger the medical bulwark against COMPULSORY health insurance.

C.P.S.—Growth and Problems

Although a doubling of the enrollment of beneficiary members of California Physicians' Service in the first ten months of this year has been attended by a higher average cost per claim and a necessary increase in membership dues, an outstandingly hopeful development is seen in the type of group now being enrolled.

The board of trustees looks upon the recent enrollment of the members of the Merchants and Manufacturers Association in Southern California as indication that managerial, as well as employee groups, are giving recognition to the value of C.P.S. Moreover, it is felt that this trade association of some 1500 business organizations offers a large potential of further new membership. The same is true of the Lettuce Growers' Association of Salinas Valley, which has recommended that C.P.S. be considered by all its members.

Among other large groups recently enrolled are the May Company of Los Angeles, Bordens Dairy, the San Bernardino Air Base and the Southern California Telephone Company. An interesting departure is the current enrollment of employees at Hunters' Point Naval Base.

Enrollment of members of chapters of the California State Grange has proceeded apace. To date over 10 000 people in 175 chapters have been enrolled under a surgical and hospital coverage plan which C.P.S. submitted last spring at the request of the State Grange.

Negotiations are still under way with the Standard Oil Company of California, which had requested a program of medical, surgical and hospital care for dependents of its employees. Due to unforeseen difficulties, enrollment there has not yet begun. The Southern Pacific Railroad and the Pacific Electric Company of Los Angeles are now studying proposals for care of dependents of their employees which C.P.S. submitted at their request.

Inevitably, increased membership has brought with it additional administrative problems for C.P.S. There has been a very heavy increase in utilization of service. The average cost per claim has risen from \$17 to \$24. Statistics show that groups in existence less than four months are accounting for 40 per cent of total claims. Groups with membership of a year or less are using 60 per cent of the total.

RATE INCREASE

As was reported at the May meeting of Administrative Members, in October, 1945, the total deficit was \$279,-144.21. By May 1, 1946, this had been reduced to \$137,-912.66. Due to the large number of surgical contracts which make up the beneficiary membership, C.P.S. experienced, during the summer months, a very heavy utilization of service. Because of this, reduction of the deficit has not been as rapid as was anticipated.

Jhank You, Doctor, for the fact that we are Now INTERNATIONAL IN SCOPE

We at Ingram Laboratories thank you for the ever increasing support you have given our ethically manufactured pharmaceuticals. It is your acceptance of our products that has been responsible for the growth of Ingram Laboratories—responsible for our position as one of the leading laboratories in Western United States.

Ingram Laboratories have now won the endorsement of the medical profession in all the countries of the Western Hemisphere—Mexico, Guatemala, Nicaragua, Honduras, Costa Rica, El Salvador, Panama, Colombia, Venezuela, Chile, Argentine, Uruguay, Peru as well as Hawaii and the Philippine Islands.

We are proud that our products have met this test of professional quality. Ingram Laboratories pledge continuing product research and the preparation of the finest ethical medicinals for use by members of the medical profession only.

Sincerely,
PROFESSIONAL STAFF
INGRAM LABORATORIES, INC.



ANTISPASMODICS



MUSICAL NOTES ON V.D.

"Lues"—the medical man's term for syphilis, explained the Medical Corps major speaking to the G.I.'s assembled in a camp theatre for a lecture and training film on venereal disease—"Lues is bad business. Lues is a disease any of us might get. Lues untreated is dangerous to yourselves and others. Lues can almost always be cured by early treatment."

The major sat down, the house was darkened and the showing of the film started. After a minute or two of the pictured horrors of syphilis and warnings that it lurked almost everywhere, a soldier brought down the house by raising a passable barytone into the quiet darkness with the words of a once popular song, "Every little breeze seems to whisper Louise."

-Contributed by G.I., Berkeley.

HOT OPERA

"Lily Pons Here to Sing Lakme," headlined the San Francisco Chronicle, whose reporter went on to say that "between smiles, she kissed Raoul Jabin, who will singe opposite her."

LESS TO THIS THAN MEETS THE EYE

A man of our acquaintance reports that his eight-yearold niece, a perspicacious young lady, recently confronted him with a test of his powers of observation. She told him she had noticed there is something which a man does standing up, a woman sitting down, and a dog standing on three legs. Making a riddle of it, she asked him to supply the answer.

She waited eagerly while he pondered uncomfortably, and when after a few moments she asked, "Do you give up?" he readily did so.

"It's shaking hands," she told him.

-Contributed by H.E.O., San Francisco.

University of California scientists have demonstrated beyond doubt that the growth hormone alone is responsible for growth.—U. C. Clip Sheet.

Yeh? What about Adler shoes?

-Contributed by F.K., San Francisco.

SAY "AH. !"

"State Doctor: 'Now just sit up in bed and sign here and here and here. And fill out this form. And get three neighbors to vouch for it. And remember the pains and penalties of perjury! Then I'll look at your tongue.'"—Pathfinder Magazine.

Hidebound

A book bound in human skin is one of the rare volumes in the library of the Los Angeles campus of the University of California.—U. C. Clip Sheet.

Rare, Mr. Hearst, not raw, which is an entirely different matter.

DOCTOR URGES HEART PATIENTS TO LIVE NORMAL, USEFUL LIVES

A Philadelphia physician states that many patients who have serious complications of the heart can be reassured and allowed to live normal lives, according to the October 19 issue of *The Journal of the American Medical Association*.

William D. Stroud, M.D., who is on the board of directors of the American Heart Association, points out that there are "many murmurs, especially in the pulmonic area, which are absolutely of no importance from the standpoint of circulatory efficiency or length of life. In fact, many children with definite valvular damage live the full span of life and others do not develop circulatory insufficiency until the third, fourth or fifth decade. Certainly their lives can be much happier if their physical activities are unrestricted and I doubt whether the normal physical activity of childhood plays any part in the progress of the pathologic lesion."

Medicine can aid patients with heart trouble to lead practical normal lives, according to Dr. Stroud. "Most people with coronary insufficiency know the things that bring on pain, such as walking after meals or in cold weather against the wind," he states. "If it is necessary for these persons to make such effort, it is perfectly possible for them to ward off an attack by dilating the coronary vessels with a tablet of glyceryl trinitrate before making such an effort."

Dr. Stroud is of the opinion that patients with heart trouble should be permitted to smoke and drink.

"Most people who smoke know whether or not they are sensitive to nicotine," he said. "If a man is not sensitive to nicotine, I believe it is perfectly safe for him to smoke. However, sensitive or not, in the presence of angina of effort or a healed coronary occlusion if a person is having substernal pain I believe eliminating tobacco will tend to lessen the frequency of attacks of pain.

NOBLE PLACEMENT AGENCY

Trained Medical, Dental and Commercial Personnel Nurses for Special Duty, Institutional and Home.

681 Market Street

San Francisco, 5

Marie Williams, Director

GArfield 4278

🗸 La Loma Feliz 🗸

SANTA BARBARA • CALIFORNIA

Residential and Country Day School for Boys and Girls Kindergarten Through High School

INA M. RICHTER, M.D., Director

HAMILTON W. BINGHAM, Headmaster

KING AMBULANCE COMPANY

Transporting the Sick since 1906

2570 Bush Street SAN FRANCISCO WEst 1400

Physicians' and Surgeons' Telephone Exchange Nurses' Bureau

Natural MALE HORMONE

Derived 100% from Testes

25 CAPON UNITS PER cc.—10cc. VIALS

HERSHEY PHARMACEUTICAL CO.

GLENDALE 6, CALIFORNIA



YOUNG'S Rectal Dilators

Rectal disturbance is never trivial. Young's Rectal Dilators afford mechanical correction for bowl sluggishness when due to tight sphincter muscles. Effective elimination relieves nervous tension, permitting normal nerve reaction. Sold only by prescription. Obtainable at your surgical supply house; available for patients at ethical drug stores. Adults and children's sizes, in sets of 4 dilator. Write for Brochure. F. E. YOUNG & CO., 432 East 75th Street, Chicago 19, Illinois



Advertisers in your Official Journal will appreciate requests for literature

A.M.A. FUND CONTRIBUTORS THANKED

The ninety-fifth convention of the A.M.A. is now a matter of medical history and its outstanding success a matter of record.

John W. Cline, Chairman of the General Committee, described the results in a letter of thanks to subcommittee chairmen. He said:

"The comments of delegates and visitors from other states have been highly complimentary to the San Francisco County Medical Society. The splendid arrangements for the convention and the warm hospitality extended to the visiting physicians were greatly appreciated. The Society and its officers have received numerous letters expressing the gratitude of the visitors, especially from the property of the House of Delegates."

The credit goes to the members of the Society who hand details of the program, according to Dr. I line. An equal share of the credit, he pointed out,

goes to the hundreds of members of this Society who contributed their financial support, as well as to the other county societies in California, the hospitals and the business firms who donated substantial amounts of money to help defray the cost of entertaining our guests.

Receipts Tabulated

Here are the detailed figures on receipts:

S. F. County Medical Society	10,033.00
Business Firms	
Other County Medical Societies of Calif	2,216.50
Hospitals	

Total Receipts\$16,677.50
Following are the county medical societies who contributed sums ranging up to \$1,000:

(Continued on Page 22)

THE MENNINGER SANITARIUM

For the Diagnosis and Treatment of Nervous and Mental Illness.

THE SOUTHARD SCHOOL

For the Education and Psychiatric Treatment of Children of Average and Superior Intelligence. Boarding Home Facilities.

TOPEKA, KANSAS



A.M.A. FUND CONTRIBUTORS THANKED

(Continued on Page 30)

Alameda County Medical Association, Contra Costa County Medical Society, Fresno County Medical Society, Kings County Medical Society, Los Angeles County Medical Association, Monterey County Medical Society, Orange County Medical Association, Riverside County Medical Society, San Bernardino County Medical Society, San Joaquin County Medical Society, San Luis Obispo County Medical Society, San Mateo County Medical Society, Solano County Medical Society, Tulare County Medical Society, Ventura County Medical Society. Following are the hospitals who donated amounts

ranging up to \$500.

Franklin Hospital, Hahnemann Hospital, Mary's Help Hospital, St. Francis Hospital, Southern Pacific Hospital. The following business firms contributed sums up to

Borden's Dairy Delivery Company, Bowerman Phar-

macy, Broemmel's Pharmacy, Broemmel's Prescription Pharmacy, California Brewer's Institute, City of Paris, Don Baxter, Inc., Eli Lilly Company, Grace Line, Inc., Guy's Prescription Pharmacy, Matson Navigation Company, Mead Johnson & Company, Medical Arts Pharmacy, Medico-Dental Pharmacy, Merck & Company, Parke Davis & Company, Ransohoff's, Upjohn Company, Winthrop Chemical Company, Inc., Yellow Cab Company.

Thanks Expressed

The officers and directors of the San Francisco County Medical Society, the chairmen and men and women of the A.M.A. Convention committees, take this opportunity of thanking each of the 335 loyal members of the Society whose financial contributions insured the success of the convention. The Society also wishes to express its deep appreciation to the component county societies, the hospitals and business firms listed above, and to assure them that their generous support and cooperation will be remembered and reciprocated.

THE CALIFORNIA SANATORIUM

Fully equipped for the diagnosis and modern treatment of diseases of the chest, including tuberculosis and other respiratory diseases

BELMONT, CALIFORNIA

Phone BElmont 100

San Francisco Office: 450 Sutter Street Phone DOuglas 5793

THOMAS B. WIPER, M.D. Director and Consultant in Thoracic Surgery G. F. FAIRBAIRN, M.D. W. N. TORRE, M.D. Resident Clinicians

Available For Immediate Delivery

finest of X-RAY EQUIPMENT by the

GEO. W. BORG CORP.

• The Mono - Matic 100—100 SINGLE-TUBE

• The Duo - Matic 100—100 TWO-TUBE

• The Quadro - Matic 250 M. A. ROTATING ANODE

FLUOROSCOPIC UNITS-MOTOR DRIVEN TABLES

Complete line of Physicians Equipment and Supplies, Instruments and X-Ray Films

Physicians Equipment Co. LOS ANGELES SACRAMENTO

1121-23 Fifteenth St. - 3-4641

2414 W. Seventh St., DRexel 4207

PRESERVATION OF CORNEAL TISSUE LIMITED TO THREE DAYS

Corneal tissue cannot be preserved longer than three days before transplantation a Cleveland physician has found after experimenting with six different preservative mediums, according to the current issue of the Archives of Ophthalmology, published by the American Medical Association.

The author-Charles I. Thomas, M.D., from the Department of Surgery, Division of Ophthalmology, Western Reserve University School of Medicine-used the eyes of rabbits for his experiment.

"Corneal tissue will remain clear and of normal thickness and can be used suitably for transplantation up to a period of three days," he states. "Thereafter the tissue becomes progressively hazy and thickened, being thus rendered unsuitable for grafting.'

In order to obtain the best operative results in corneal transplantation, the author maintains that the material should be fresh and used shortly after it is removed from the donor. The Eye Bank for Sight Restoration, since its organization, has facilitated this rapid distribution.

> Listen in every Saturday 9:15 p.m. "CALIFORNIA CARAVAN" Mutual Network

THE NEW YORK POLYCLINIC MEDICAL SCHOOL AND HOSPITAL

(Organized 1881)

(The Pioneer Post-Graduate Medical Institution in America)

ROENTGENOLOGY


A comprehensive review of the physics and higher mathematics involved, film interpretation, all standard general roentgen diagnostic procedures, methods of application and doses of radiation therapy, both x-ray and radium, standard and special fluorescopic procedures. A review of dermatolegical lesions and tumors susceptible to roentgen therapy is given, together with methods and dosage calculation of treatment. Special attention is given to the new diagnostic methods associated with the employment of contrast media, such as bronchegraphy with lipidod, uterosalpinegraphy, visualization of cardiac chambers, pre-natal insuffaction and myelography. Discussinos covering roentgen departmental management are also included.

Obstetrics and Gynecology

A full-time course. In Obstetrics: Lectures; prenatal clinics witnessing normal and operative deliveries; operative obstetrics (manikin). Gynecology: Lectures; touch clinics; witnessing operations; examination of patients, pre-operatively: follow-up in wards post-operatively. Obstetrical and Gynecological pathology. Regional anesthesia (cadaver). Attendance at conferences in Obstetrics and Gynecology. Operative Gynecology on the cadaver.

For Information Address: MEDICAL EXECUTIVE OFFICE, 345 West 50th Street, New York 19

LIVERMORE SANITARIUM



- The Hydropathic Department devoted to the treatment of general diseases, excluding surgical and acute infectious cases. Special attention given functional and organic nervous diseases. A well equipped clinical laboratory and modern X-ray Department are in use for diagnosis.
- The Cottage Department (for mental patients) has its own facilities for hydropathic and other treatments. It consists of small cottages with homelike surroundings, permitting the segregation of patients in accordance with the type of psychosis. Also bungalows for individual patients, offering the highest class of accommodations with privacy and comfort.

GENERAL FEATURES

- Climatic advantages not excelled in United States. Beautiful grounds and attractive surrounding country. Indoor and outdoor gymnastics under the charge of an athletic director. An excellent Occupational Department. A resident medical staff. A large and well-trained nursing staff so that each patient is given eareful indivinal attention.

Information and circulars upon request. Address: CLIFFORD W MACK, M.D. Medical Director

> LIVERMORE, CALIFORNIA Telephone 313

CITY OFFICES:

SAN FRANCISCO 450 Sutter Street DOuglas 3824

OAKLAND 1624 Franklin Street GLencourt 5989

CHANGES IN MEMBERSHIP

New Members (118)

Butte-Glenn County (1)

Waldorf, Frank B., Chico

Contra Costa County (1)

Gadwood, Bernard B., Richmond

Fresno County (3)

Davidson, Frank L., Fresno Furze, William Everett, Fresno Reuter, Robert J., Fresno

Kern County (2)

Freedman, Harold C., Shafter Owens, Raymond W., Oildale Los Angeles County (66)

Abarbanel, A. R., Beverly Hills Abbey, John D., Los Angeles Basham, Charles E., Pomona Brody, Arthur, Los Angeles Bulley, Edward William, San Marino Carlson, Carroll C., Beverly Hills Chalek, Jack I., Beverly Hills Champion, John G., Santa Monica Cohen, Robert, North Hollywood Conner, Elwin I., Pomona Cummings, Walter R., Glendale Dach, Richard J., Long Beach David, Charles B., Los Angeles Dirks, Maitland S., Long Beach Doty, G. Ellis, North Hollywood Eagan, John C., Los Angeles

(Continued on Page 42)



Approved for...


ADDICTION CASES NEURASTHENIC PSYCHIATRIC

CALL MARKET 4343

HEMLOCK 6326

KEVIN McGETTIGAN

PARK SANITARIUM 1500 PAGE ST.



ER

ER

ER

WA

WA

WA

WALKER

WALKER

"Quality Assured"

The quality of vitamin products can be assured by specifying

Walker

Since the inception of our business we have devoted specialized skills to the production of vitamin products. Walker Vitamins are never advertised for self-medication. They are offered for use under the guidance of the physician only.

Walker products bearing A.M.A. Council acceptance are: Ascorbic Acid Tablets, 25, 50, and 100 mg.; Concentrated Oleo Vitamin A-D Drops; Thiamine HCI Tablets, 1, 3, 5, and 10 mg.; Riboflavin Tablets, 1 and 5 mg.; Niacin Tablets, 25, 50, and 100 mg.; Niacinamide Tablets, 25, 50, and 100 mg.; Hexavitamin Capsules; Vitamin A Capsules, 25,000 units; Solution Thiamine HCI (Oral).

WALKER VITAMIN PRODUCTS, INC.

Mount Vernon

New York

WALKER
ER WA

BOARD OF MEDICAL EXAMINERS

By Frederick N. Scatena. M.D. Secretary-Treasurer

Board Proceedings

The Board of Medical Examiners met at the Business and Professions Building in Sacramento, October 21-24, to elect officers for the ensuing year and conduct hearings on petitions for restoration and disciplinary matters. Herbert S. Chapman, M.D. was elected president to succeed Frank W. Otto, M.D. Joe Zeiler, M.D. was elected vice-president to succeed Herbert S. Chapman, and Frederick N. Scatena, M.D., was re-elected Secretary-Treasurer.

We have at present approximately 70 applications on file for the written examination. This group contains more graduates from schools outside the State of California than were examined at the other scheduled examinations throughout the year. The number of applicants for written examination has remained approximately the same each year for the past five years.

Reciprocity applications are still being filed in numbers

which far exceed the usual number of applicants for the pre-war period. From January 1, 1946, to September 30, 1946, 1,517 applications for reciprocity have been filed. This includes applicants basing their applications on licenses issued by other states, National Board, and Government Credentials.

During the same period, 1,557 certificates have been issued to physicians and surgeons. Of this number, 305 were issued following written examination, forty-six on government credentials, 183 on national board credentials, 177 based on licenses issued by other states and after the successful passing of an oral examination, and 846 on direct reciprocity.

The opening brief on the case of Aarons, Burroughs and Mann vs. Board of Medical Examiners has been filed in the Appellate Court. A favorable decision is hoped for in this matter as the decision will be a farreaching one in determining whether or not the Board has the authority to declare a school disapproved, or whether the Superior Court can assume this function.

(Continued on Page 56)



COUNCIL ACCEPTED



Brand of theobromine-calcium salicylate, Trade Mark reg. U. S. Pat. Off.

Prescribe 2 or 3 tablets of Theocalcin, t. i. d. After relief is obtained, continue with smaller doses to keep the patient comfortable. Theocalcin strengthens heart action, diminishes dyspnea and reduces edema.

BOARD OF MEDICAL EXAMINERS

(Continued from Page 54)

We anticipate that the Directory will be available for distribution the latter part of October, or the first part of November. The inability to secure additional employees, and the great increase in the number of applications being filed, along with those licentiates returning from the armed forces, has made it impossible for us to complete the Directory at the usual time.

PENICILLIN MAY CAUSE NERVE INJURY

Two Navy doctors suggest that penicillin may cause injury to the nerves running to the surface of the body with resultant loss of sensation and muscular power,

according to the October 12 issue of The Journal of the American Medical Association.

Comdr. Lawrence C. Kolb (MC), U.S.N.R., and Lieut. Comdr. Seymour J. Gray (MC), U.S.N.R., state that they observed this muscular weakness in seven patients treated with penicillin injections into the muscles at the U. S. Naval Hospital, National Naval Medical Center, Bethesda. Md.

The nerve injury observed in all the cases occurred from 10 to 21 days after the initial injection of penicillin. The number of penicillin injections into the muscles given prior to these symptoms varied from 10 to 72.

The authors point out that complete recovery from the neuritis occurred within four months in five of the seven patients.

The Alexander Sanatorium, Inc.

Situated in the Foothills of

BELMONT, CALIFORNIA

Specialized care of Convalescents; also NERVOUS, MENTAL and ALCOHOLIC Patients. Experienced Staff for the application of INSULIN and ELECTRIC SHOCK Therapies and for the CONDITIONED REFLEX TREATMENT of ALCOHOLISM.

Recognized by the American Medical Association; Member of Association of Private Mental Hospitals and of the Western Hospital Association.

MRS. A. S. ALEXANDER, President

Telephone: Basaccerr 40

French Hospital

Geary Boulevard and Fifth Avenue SAN FRANCISCO CALIFORNIA



general hospital of 225 beds operating an accredited School of Nursing, admitting all classes of patients except those suffering from mental diseases. Organized in 1851 and operated by the French Mutual Benevolent Society through a Board of Directors, a chief executive officer and staff. Accredited for intern training by the American Medical Association and approved by the American College of Surgeons.

Staff

John S. Toulze.... President
Henry Bazerque Secretary
Charles J. Malinowski .. Superintendent

William L. Rogers, M.D... Chief of Staff Loris E. Curtis, M.D.. Chairman of Staff Marius A. Francoz, M.D.......... Secretary of Staff

REHABILITATION OF TUBERCULOUS PATIENTS ADVOCATED BY DOCTOR

Tuberculous patients need rehabilitation to restore them to their maximum physical, mental, social, vocational and economic usefulness, according to the current issue of *Hygeia*, health magazine of the American Medical Association.

The author—Joseph B. Rosner, M.D., Rehabilitation Executive of the National Jewish Hospital, Denver, Colo.—states that many hospital directors have found that tuberculous patients died or suffered a relapse within six to 18 months after discharge. "Reasons for these breakdowns were not difficult to determine," he says. "Sudden transition from the sheltered environment of the hospital to the tensions of modern society, the change from a regime of no work to an abrupt schedule of a full day's work, usually at an occupation that was medi-

cally unsuitable, were the causes of many of the readmissions."

Dr. Rosner listed the following elements as necessary for a sound rehabilitation program:

- 1. A highly competent medical and surgical staff trained in tuberculosis. The doctor diagnoses and treats; sets the pace of the program by determining when it is safe for the patient to get out of bed and begin light exercise; and (most important of all) interprets the disease and its limitations to the patient so that he will have an intelligent, realistic idea of his possibilities and limitations.
- 2. A capable nursing staff will carry out the physician's orders that rest is properly observed and medications administered.
 - 3. Many patients present mental and emotional prob-(Continued on Page 64)

SAINT FRANCIS HOSPITAL

A General Hospital With Accommodations for Three Hundred Patients And Operating THE MEDICAL OFFICE BUILDING, Facing the Hospital Tenancy Restricted to the Medical and Dental Professions

TRUSTEES—C. R. BRICCA, M.D., President; T. H. O'CONNOR, M.D., First Vice-President; C. A. WALKER, M.D., Second Vice-President; CARL L. HOAG, M.D., Secretary-Treasurer; C. P. THOMPSON, M.D., Assistant Secretary-Treasurer; RAY H. KISTLER, M.D.; GEORGE W. PIERCE, M.D.; FRANK B. HAND, M.D.; W. W. WASHBURN, M.D.; THOMAS E. SHUMATE, M.D.; CAVINS D. HART, M.D.

Superintendent, O. N. BOOTH

Address Communications
SAINT FRANCIS HO

Bush and Hyde Streets

FRANCIS HOSPITAL

Telephone PROSPECT 4321 San Francisco

The National Association of Medical-Dental Bureaus

Met in Annual Convention in Cincinnati on September 5, 6 and 7

Mr. Slaughter and Mr. Service represented the San Francisco and Oakland offices and Mr. George Elder the Los Anand Long Beach offices of the Doctors Business Bureau.

The convention unhesitatingly acknowledged the leadership of this Bureau and declared it to be the largest in the United States and the oldest with but one exception. Naturally we are proud of these distinctions and the fact that we practically

originated the idea of medical Bureaus to serve doctors.

We wish to acknowledge that the doctors and hospitals of California are entitled to much credit for their splendid support and cooperation in our growth and success.

The Bureau feels assured that the continued hearty support of the members of the medical, dental and hospital associations will insure the continuation of this leadership in this field of service.



THE DOCTORS BUSINESS BUREAU

At the office most convenient to you:

Spreckels Building, Los Angeles; 153 Kearny Street, San Francisco; 1006 Heartwell Buildin, Long Beach; or Latham Square Building, Oakland



URINE-SUGAR TESTING made simple · SPEEDY · CONVENIENT with CLINITES T

The Tablet, No Heating Method

Simply drop one Clinitest Tablet into test tube containing proper amount of diluted urine. Allow time for reaction—compare with color scale.

NOTE—NEW ATTACHMENT FOR ADDED CONVENIENCE

The test tube clip now supplied with each pocket-size case enables the test tube to be hooked on to the outside of case, as shown in illustration.

This simple device provides an added convenience for the user—tube is maintained in an *upright* position, tube is held *motionles*, during reaction.

FOR OFFICE USE:

Clinitest Laboratory Outfit (No. 2108)

FOR PATIENT USE:

Clinitest Plastic Pocket-Size Set (No. 2106).

Complete information upon request.

AMES COMPANY, Inc.
ELKHART, INDIANA

TUBERCULOSIS PATIENTS

(Continued from Page 58)

lems of such an intensity that the progress of treatment is seriously impeded. . . . It is necessary either to have a psychiatrist in residence at the hospital or have his services available for patients whose condition indicates such a need.

- 4. The tuberculous person has most of the problems of the average healthy individual, plus several problems peculiar to his disease. His worries may range from failure to adjust to certain aspects of hospital routine to concern over domestic financial matters. For problems of a social, emotional or economic nature, every hospital should have a qualified medical social worker with some psychiatric casework training in order to carry out the recommendations of psychiatrists. Freedom from wer helps make victory over tuberculosis easier.
- 5. In most instances it is not wise for a patient to return to the occupation in which he was engaged before becoming ill. A trained vocational cornselor should, by means of interviews and tests, determine interests and aptitudes. In cooperation with the medical staff, this counsel should help the patient reach a wise decision regarding his vocational future.
- 6. The occupational therapist furnishes the patient, in accordance with medical prescription, with projects that can be undertaken safely while still on complete bedrest or on a partially ambulatory regimen.
- 7. Increasingly, patients in hospitals are using the time necessary for curing to complete high school or college training or to acquire a marketable skill such as typing, shorthand, bookkeeping or switchboard operation. Better hospitals have schools right on the grounds, employing teachers of academic and business subjects.
- 8. In hospitals where patients remain for long periods, a trained librarian and a complete library are prime necessities.
- 9. Provision should be made for religious observance and for time with spiritual advisers for patients who desire solace and understanding. Adequate chapel space for worship and arrangements for visiting clergymen of different faiths can be an important contribution toward recovery.

EMOTIONAL STRESS UNDERLYING FACTOR IN CHRONIC HEADACHES

The most effective treatment of chronic headaches includes both drug therapy and psychotherapy—the straightening out of the patient's emotional problems, according to three New York doctors writing in the November 2 issue of The Journal of the American Medical Association.

The doctors—Arnold P. Friedman, Charles Brenner and H. Houston Merritt—are from the Division of Neuropsychiatry, Montefiore Hospital and the Department of Neurology, College of Physicians and Surgeons, Columbia University.

The great majority of chronic headaches are caused by one of three conditions—migraine, injury or emotional stress. The pain, which is probably produced by a constriction of the blood vessels, is precipitated and made worse by emotional tension and inner conflict.

"It has been our experience," state the doctors, "that a combination of psychotherapy and the drug therapy is much more effective than the latter alone in reducing the frequency, duration and severity of any of the three types of headache which we are discussing. Indeed in

(Continued on Page 74)

CHRONIC HEADACHES

(Continued from Page 64)

the majority of these patients medication is chiefly of value in relieving the discomfort of the acute attack, and it is only by reducing the amount of mental stress to which the patient is subjected that the headaches can be reduced in frequency and severity and often rendered easier to control by suitable medication when they do occur."

The authors point out that "the psychologic problems vary greatly from patient to patient. In some they may be largely the result of an unfavorable environmental situation which must be changed for improvement to result. In others the difficulty is primarily in the inner life of the patient, with the result that he cannot adjust adequately even to the usual demands of his daily life. Advice as to mental hygiene, reassurance and the opportunity to ventilate his anxieties and conflicts are psychotherapeutic aids which are within the province of the practitioner and which in favorable cases will result in good psychotherapeutic results. In other cases in which the patient's mental difficulties are more severe or more deeply repressed and hence less accessible to therapeutic influence, it seems best to refer the patient to a specialist."

HEAVY SMOKERS SUSCEPTIBLE TO LEUKOPLAKIA—A MOUTH DISEASE

A Cleveland physician, Clyde L. Cummer, warns heavy smokers to beware of leukoplakia—a disease which coats the lining of the cheeks, the gums, tongue and roof of the mouth with white, thickened patches that sometimes crack.

Writing in the November 2 issue of The Journal of

the American Medical Association, Dr. Cummer says he examined 587 patients, 315 of whom were men. Six of these men, in the age group between 40 and the late 70's, had leukoplakia.

After reviewing medical literature, Dr. Cummer found that 53 cases of leukoplakia involving the roof of the mouth have been reported to date. Of the 51 in which the sex was mentioned, 49 occurred in men and two in women. All but three of these patients were tobacco smokers, with pipe smoking being incriminated more often than cigar or cigaret smoking.

"The type of smoking is important," he says. Dr. Cummer cites another investigator who "expressed his conviction that the pipe is the most irritating agent and emphasized the importance of the method of smoking in the localization of leukoplakia. It is suggested that pipe smoking is especially likely to produce palatal changes since the stream of hot and unfiltered smoke is delivered directly against the roof of the mouth, whereas cigaret and cigar smoke is to some extent filtered through the stub or butt and is diffused through the entire oral cavity."

The most effective treatment for this disease is to stop smoking, especially pipe smoking. In the case of inveterate, confirmed smokers, the author suggests the wearing of a denture to protect the palate.

Rent an office, buy or sell equipment, find an associate. Read and advertise in California Medicine's Classified Advertising section.



Advertisers in your Official Journal will appreciate requests for literature

INVESTIGATORS FIND NEARLY 300 CANCER PRODUCING AGENTS

"Even the most pessimistic scientist cannot possibly read of the progress made in cancer research during the last 30 years without thrilling at the accomplishments and the spirit of success that fairly permeate this field," according to an article in the current issue of Hygeia, health magazine of the American Medical Association.

The author—Arthur H. Wells, M.D., Chairman of the Committee on Cancer of the Minnesota State Medical Society—states that "approximately 300 physical, chemical and infectious agents have been found to produce cancer. Many authorities admit that there is an ever increasing variety of agents being discovered which will initiate cancer growth. However, they refer to Ewing's casual

genesis and formal genesis of cancer. The first has to do with the wide variety of substances that will produce cancer and the second to the factors within the cancer cell that are responsible for its nature and its unlimited growth capacity. The most important progress in the future appears to lie in a thorough understanding of the formal genesis of cancer.

"Listed among the cancerous agents are analine dyes, petroleum products, illuminating gas, coke, mineral and lubricating oils, textile products, radium bearing ores. cobalt and arsenic, chromates, nickel, carbonyl, asbestos, mesothorium, anthracene, oil, aromatic amino compounds. benzol, ultraviolet rays, roentgen rays and others. These products are found in industries and necessitate protection of those exposed to the products."

THE POTTENGER SANATORIUM and CLINIC

For Diseases of the Chest

Monrovia, California

AN INSTITUTION FOR DIAGNOSIS AND THERAPY

(Established 1903)

C HOICE rooms and bungalows. Rates moderate and include routine medical and nursing services, interim physical, X-ray and laboratory examinations, ordinary medicines and pneumothorax. A charge is made for the first complete examination.

In the foothills of the Sierra Madre Mountains, thirty-five miles from the ocean. Surrounded by beautiful gardens.

Close medical supervision. Aside from tuberculosis, special attention is given to asthma, bronchiectasis, lung abscess and kindred diseases. Separate institution for children.

For particulars address:

THE POTTENGER SANATORIUM AND CLINIC

Monrovia, California

Employment Opportunities Are Available NOW In The State Department of Corrections



Psychiatrists are needed in the Folsom State Prison, and in the Diagnostic Clinic at The California Vocational Institution, temporarily located at Lancaster, California, on a full-time basis.

Permanent Assignments

Regular Salaries



Communicate with

RICHARD A. McGEE

Director of Corrections

State Office Building No. 1, Sacramento, California

ANTI-PYREXOL

exclusively for professional use in the treatment of burns, scalds, sunburn and denuded and painful skin lesions.



Physicians in increasing numbers are using Anti-Pyrexol in the treatment of denuded and painful skin lesions—for burns, scalds, incised or lacerated wounds, surface irritations and local inflamed conditions of the skin and mucous membrane. An antiseptic ointment that combats toxemia, Anti-Pyrexol

reduces pain, promotes healing, minimizes scarring. In 2-oz. tubes, and 1, 5, 10 and 50-lb. tins at your surtical supply house or jobber. Imitated—so ask for easy spreading Anti-Pyrexol.

ANTI-PYREXOL BLAND Same as Anti-Pyrexol except that Ortho-Hydroxyphenylmercuric chloride is omitted suggested in treatment where chances of infection are lacking. Packed same as Anti-Pyrexol.

ANTI-PYREXOL BENZOCAINE Represents Anti-Pyrexol plus Benzocaine 3%. Acutely anesthetic. Packed in 2-oz. tubes, and in 1, 5 and 10-lb. tins.

NOT ADVERTISED TO THE LAITY

KIP CORP., LTD.

778 E. PICO BLVD.

LOS ANGELES, CALIFORNIA